



75329/77432

#5/Electing  
Cmtdt 763  
3763  
4-24-02

PATENT

RECEIVED  
APR 22 2002  
TC 3700 MAIL ROOM

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Thomas J. Shaw  
Serial Number: 09/617,868  
Filing Date: July 17, 2000  
Art Unit: 3763  
Examiner: Simons, Kevin C.  
For: Syringe Plunger Assembly and Barrel

Via First Class Mail

04/18/2002 BABAWA1 00000058 09617868

01 FC:203	342.00 OP
02 FC:202	210.00 OP
03 FC:217	460.00 OP

Assistant Commissioner  
for Patents  
Washington, D.C. 20231

CERTIFICATE OF FIRST CLASS MAILING

I hereby certify that the papers enclosed herein are being deposited with the United States Postal Service "First Class Mail" in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

MONTY L. BOSS  
Name of Applicant, Assignee or Registered Representative

[Signature] 4-10-02  
Signature Date of Signature

Dear Sir:

AMENDMENT AND RESPONSE TO RESTRICTION REQUIREMENT

This Amendment and Response to Restriction Requirement is filed in response to the office action dated December 10, 2001. Applicant requests a three month extension of the response period to and including April 10, 2002, and encloses a check in payment of the fee required for the extension and the newly added claims for a small entity. The examiner is also advised that Mr. Harry Watson, formerly attorney of record for this application, has now retired and that the undersigned, of the same firm, now has power of attorney to prosecute this application. A supplemental power of attorney also accompanies this response.